

GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers

GNE SERİSİ GNE SERIES

Batarya Özellikleri Heat Exchanger Specifications

Hatve : 4 mm
Fin Spacing

Bakır Boru : 1/2"
Copper Pipe

Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1	SC2	SC3	SC4	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
					Te= 0 °C Tr= -10 °C	Te= -8 °C Tr= 0 °C	Te= -25 °C Tr= -18 °C	Te= -31 °C Tr= -25 °C				Batarya Coil	Batarya Coil			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
1 Fan / Fans	GNE 130.4A	9,8	1,8	2912	1956	-	-	1	300	4 x 250	6 x 250	2 x 250	50	343 \$	8.8 \$	
	GNE 130.4B	13,1	2,5	3451	2344	-	-	1	300	4 x 250	6 x 250	2 x 250	50	400 \$	8.8 \$	
	GNE 130.4C	16,4	2,9	4031	2727	-	-	1	300	4 x 250	6 x 250	2 x 250	50	452 \$	8.8 \$	
	GNE 130.4D	19,6	3,6	4445	3031	-	-	1	300	4 x 250	6 x 250	2 x 250	50	506 \$	8.8 \$	
	GNE 135.4B	15,7	3,0	5004	3354	-	-	1	350	4 x 300	6 x 300	2 x 300	60	457 \$	8.8 \$	
	GNE 135.4C	19,6	3,5	5754	3890	-	-	1	350	4 x 300	6 x 300	2 x 300	60	504 \$	8.8 \$	
	GNE 135.4D	23,5	4,3	6344	4326	-	-	1	350	4 x 300	6 x 300	2 x 300	60	567 \$	8.8 \$	
	GNE 140.4B	20,0	3,8	6613	4457	-	-	1	400	4 x 300	6 x 300	2 x 300	60	550 \$	8.8 \$	
	GNE 140.4C	25,0	4,6	7614	5126	-	-	1	400	4 x 300	6 x 300	2 x 300	60	615 \$	8.8 \$	
	GNE 140.4D	30,0	5,7	8510	5789	-	-	1	400	4 x 300	6 x 300	2 x 300	60	705 \$	8.8 \$	
	GNE 145.4B	22,2	4,2	7660	5110	-	-	1	450	6 x 325	8 x 325	2 x 325	65	587 \$	8.8 \$	
	GNE 145.4C	27,7	4,9	9006	6066	-	-	1	450	6 x 325	8 x 325	2 x 325	65	659 \$	8.8 \$	
	GNE 145.4D	33,3	6,3	10084	6870	-	-	1	450	6 x 325	8 x 325	2 x 325	65	758 \$	8.8 \$	
4 mm 2 Fan / Fans	GNE 225.4A	9,5	1,8	2982	2009	-	-	2	250	4 x 325	6 x 325	2 x 325	65	322 \$	8.8 \$	
	GNE 225.4B	12,7	2,4	3511	2396	-	-	2	250	4 x 325	6 x 325	2 x 325	65	369 \$	8.8 \$	
	GNE 230.4A	13,9	2,4	4405	2934	-	-	2	300	4 x 375	6 x 375	2 x 375	75	425 \$	8.8 \$	
	GNE 230.4B	18,5	3,5	5655	3820	-	-	2	300	4 x 375	6 x 375	2 x 375	75	502 \$	8.8 \$	
	GNE 230.4C	23,1	4,2	6371	4338	-	-	2	300	4 x 375	6 x 375	2 x 375	75	560 \$	8.8 \$	
	GNE 230.4D	27,7	5,2	7055	4821	-	-	2	300	4 x 375	6 x 375	2 x 375	75	639 \$	8.8 \$	
	GNE 235.4B	23,3	4,4	7901	5290	-	-	2	350	4 x 425	6 x 425	2 x 425	85	581 \$	8.8 \$	
	GNE 235.4C	29,1	5,4	9305	6312	-	-	2	350	4 x 425	6 x 425	2 x 425	85	670 \$	8.8 \$	
	GNE 235.4D	34,9	6,6	10204	6992	-	-	2	350	4 x 425	6 x 425	2 x 425	85	757 \$	8.8 \$	
	GNE 240.4B	31,7	6,0	11228	7597	-	-	2	400	4 x 525	6 x 525	2 x 525	105	763 \$	9.0 \$	
	GNE 240.4B2	37,0	7,0	12697	8540	-	-	2	400	6 x 525	8 x 525	2 x 525	105	848 \$	9.0 \$	
	GNE 240.4C2	46,2	8,7	14324	9705	-	-	2	400	6 x 525	8 x 525	2 x 525	105	936 \$	9.0 \$	
	GNE 240.4D2	55,5	10,0	16067	10945	-	-	2	400	6 x 525	8 x 525	2 x 525	105	1,089 \$	9.0 \$	
GNE 245.4B	44,4	8,4	15399	10288	-	-	2	450	6 x 625	8 x 625	2 x 625	125	978 \$	11.2 \$		
GNE 245.4C	55,5	10,5	18413	12492	-	-	2	450	6 x 625	8 x 625	2 x 625	125	1,174 \$	11.2 \$		



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers



Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1	SC2	SC3	SC4	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
												Te= 0 °C Tr= -10 °C	Te= -8 °C Tr= 0 °C			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
4 mm	2 Fan / Fans	GNE 245.4D	66,6	12,6	20539	13987	-	-	2	450	6 x 625	8 x 625	2 x 625	125	1,330 \$	11.2 \$
		GNE 250.4B	53,5	10,1	21133	14262	-	-	2	500	6 x 700	8 x 700	2 x 700	140	1,268 \$	12.5 \$
		GNE 250.4C	66,9	11,8	23985	16131	-	-	2	500	6 x 700	8 x 700	2 x 700	140	1,411 \$	12.5 \$
		GNE 250.4D	80,3	15,1	27558	18751	-	-	2	500	8 x 700	10 x 700	2 x 700	140	1,667 \$	12.5 \$
		GNE 250.4D2	98,3	17,4	31667	21550	-	-	2	500	8 x 800	10 x 800	2 x 800	160	1,899 \$	14.1 \$
		GNE 250.4F2	131,1	23,2	36837	25273	-	-	2	500	8 x 800	10 x 800	2 x 800	160	2,347 \$	14.1 \$
4 mm	3 Fan / Fans	GNE 340.4B	49,2	9,3	17326	11615	-	-	3	400	8 x 800	10 x 800	2 x 800	160	1,199 \$	14.1 \$
		GNE 340.4B2	57,3	9,7	19068	12847	-	-	3	400	8 x 800	10 x 800	2 x 800	160	1,248 \$	14.1 \$
		GNE 340.4C2	71,7	13,5	22704	15386	-	-	3	400	8 x 800	10 x 800	2 x 800	160	1,510 \$	14.1 \$
		GNE 340.4D2	86,0	15,5	24884	16939	-	-	3	400	8 x 800	10 x 800	2 x 800	160	1,668 \$	14.1 \$
		GNE 345.4B	57,3	10,8	21233	14222	-	-	3	450	8 x 800	10 x 800	2 x 800	160	1,326 \$	14.1 \$
		GNE 345.4C	71,7	13,5	24786	16801	-	-	3	450	8 x 800	10 x 800	2 x 800	160	1,536 \$	14.1 \$
		GNE 345.4D	86,0	15,5	27207	18534	-	-	3	450	8 x 800	10 x 800	2 x 800	160	1,695 \$	14.1 \$
		GNE 350.4B	79,3	15,0	30880	20620	-	-	3	500	8 x 1025	10 x 1025	2 x 1025	205	1,744 \$	17.5 \$
		GNE 350.4C	99,1	18,0	35660	23902	-	-	3	500	10 x 1025	12 x 1025	2 x 1025	205	1,984 \$	17.5 \$
		GNE 350.4D	118,9	21,9	40429	27479	-	-	3	500	10 x 1025	12 x 1025	2 x 1025	205	2,252 \$	17.5 \$
		GNE 350.4D2	145,9	27,5	47707	32236	-	-	3	500	10 x 1175	12 x 1175	2 x 1175	235	2,817 \$	20.5 \$
		GNE 350.4F2	194,5	36,7	54985	37742	-	-	3	500	12 x 1175	14 x 1175	2 x 1175	235	3,447 \$	20.5 \$
4 mm	4 Fan / Fans	GNE 445.4B	74,0	13,5	27324	18276	-	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,702 \$	17.5 \$
		GNE 445.4C	92,5	16,5	31511	21165	-	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,937 \$	17.5 \$
		GNE 445.4D	111,0	19,9	35331	24112	-	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	2,175 \$	17.5 \$
		GNE 450.4B	91,2	17,2	37002	24853	-	-	4	500	8 x 1175	10 x 1175	2 x 1175	235	2,045 \$	20.5 \$
		GNE 450.4C	114,0	20,6	42629	28739	-	-	4	500	8 x 1175	10 x 1175	2 x 1175	235	2,329 \$	20.5 \$
		GNE 450.4D	136,8	25,8	48016	32532	-	-	4	500	10 x 1175	12 x 1175	2 x 1175	235	2,689 \$	20.5 \$
		GNE 450.4D2	171,2	32,3	57810	39285	-	-	4	500	10 x 1375	12 x 1375	2 x 1375	275	3,218 \$	24.2 \$
		GNE 450.4D3	203,0	38,3	65358	44051	-	-	4	500	10 x 1625	12 x 1625	2 x 1625	325	3,893 \$	28.2 \$
		GNE 450.4F3	270,6	50,3	75327	51718	-	-	4	500	12 x 1625	14 x 1625	2 x 1625	325	4,679 \$	28.2 \$

* Fiyatlara fan dahil değildir. / Price are given without fan.



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers

Batarya Özellikleri

Heat Exchanger Specifications

Hatve : 6 mm

Fin Spacing

Bakır Boru : 1/2"

Copper Pipe

Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1	SC2	SC3	SC4	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
					Te= 0 °C Tr= -10 °C	Te= -8 °C Tr= 0 °C	Te= -25 °C Tr= -18 °C	Te= -31 °C Tr= -25 °C			Batarya Coil	Batarya Coil	Tava D/Tray			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	
1 Fan / Fans	GNE 130.6A	6,8	1,8	2294	1570	1199	-	1	300	4 x 250	6 x 250	2 x 250	50	338 \$	8.8 \$	
	GNE 130.6B	9,0	2,5	2789	1980	1381	-	1	300	4 x 250	6 x 250	2 x 250	50	384 \$	8.8 \$	
	GNE 130.6C	11,3	2,9	3128	2220	1637	-	1	300	4 x 250	6 x 250	2 x 250	50	431 \$	8.8 \$	
	GNE 130.6D	13,6	3,6	3554	2570	1864	-	1	300	4 x 250	6 x 250	2 x 250	50	481 \$	8.8 \$	
	GNE 135.6B	10,9	3,0	3847	2700	2127	-	1	350	4 x 300	6 x 300	2 x 300	60	437 \$	8.8 \$	
	GNE 135.6C	13,6	3,5	4507	3220	2405	-	1	350	4 x 300	6 x 300	2 x 300	60	479 \$	8.8 \$	
	GNE 135.6D	16,3	4,3	5079	3700	2622	-	1	350	4 x 300	6 x 300	2 x 300	60	537 \$	8.8 \$	
	GNE 140.6B	13,8	3,8	5176	3650	2735	-	1	400	4 x 300	6 x 300	2 x 300	60	525 \$	8.8 \$	
	GNE 140.6C	17,3	4,4	5948	4280	3017	-	1	400	4 x 300	6 x 300	2 x 300	60	587 \$	8.8 \$	
	GNE 140.6D	20,7	5,7	6706	4890	3569	-	1	400	4 x 300	6 x 300	2 x 300	60	667 \$	8.8 \$	
	GNE 145.6B	15,4	4,0	6064	4300	3159	-	1	450	6 x 325	8 x 325	2 x 325	65	564 \$	8.8 \$	
	GNE 145.6C	19,2	4,9	6985	5000	3801	-	1	450	6 x 325	8 x 325	2 x 325	65	624 \$	8.8 \$	
	GNE 145.6D	23,0	6,3	7984	5850	4184	-	1	450	6 x 325	8 x 325	2 x 325	65	716 \$	8.8 \$	
6 mm	2 Fan / Fans	GNE 225.6A	6,6	1,8	2287	1620	1220	-	2	250	4 x 325	6 x 325	2 x 325	65	310 \$	8.8 \$
		GNE 225.6B	8,8	2,4	2776	2030	1410	-	2	250	4 x 325	6 x 325	2 x 325	65	352 \$	8.8 \$
		GNE 230.6A	9,6	2,4	3319	2310	1824	-	2	300	4 x 375	6 x 375	2 x 375	75	407 \$	8.8 \$
		GNE 230.6B	12,8	3,5	4364	3120	2363	-	2	300	4 x 375	6 x 375	2 x 375	75	479 \$	8.8 \$
		GNE 230.6C	16,0	4,2	5018	3670	2616	-	2	300	4 x 375	6 x 375	2 x 375	75	531 \$	8.8 \$
		GNE 230.6D	19,2	5,2	5531	4120	2784	-	2	300	4 x 375	6 x 375	2 x 375	75	600 \$	8.8 \$
		GNE 235.6B	16,1	4,2	6260	4520	3243	-	2	350	4 x 425	6 x 425	2 x 425	85	559 \$	8.8 \$
		GNE 235.6C	20,1	5,4	7186	5250	3893	-	2	350	4 x 425	6 x 425	2 x 425	85	634 \$	8.8 \$
		GNE 235.6D	24,1	6,6	8044	6020	4217	-	2	350	4 x 425	6 x 425	2 x 425	85	713 \$	8.8 \$
		GNE 240.6B	21,9	6,0	8723	6260	4627	-	2	400	4 x 525	6 x 525	2 x 525	105	723 \$	9.0 \$
		GNE 240.6B2	25,6	7,0	9763	6940	5003	-	2	400	6 x 525	8 x 525	2 x 525	105	783 \$	9.0 \$
		GNE 240.6C2	32,0	8,0	11239	8100	5914	-	2	400	6 x 525	8 x 525	2 x 525	105	878 \$	9.0 \$
		GNE 240.6D2	38,4	10,0	12528	9230	6338	-	2	400	6 x 525	8 x 525	2 x 525	105	1,013 \$	9.0 \$
		GNE 245.6B	30,7	7,5	12416	8820	6499	-	2	450	6 x 625	8 x 625	2 x 625	125	962 \$	11.2 \$
		GNE 245.6C	38,4	10,5	14478	10440	7611	-	2	450	6 x 625	8 x 625	2 x 625	125	1,104 \$	11.2 \$



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers



Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1 Te= 0 °C Tr= -10 °C	SC2 Te= -8 °C Tr= 0 °C	SC3 Te= -25 °C Tr= -18 °C	SC4 Te= -31 °C Tr= -25 °C	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1 Batarya Coil	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
												Batarya Coil	Tava Tray			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
6 mm	2 Fan / Fans	GNE 245.6D	46,1	12,6	15905	11670	8130	-	2	450	6 x 625	8 x 625	2 x 625	125	1,209 \$	11.2 \$
		GNE 250.6B	37,0	10,1	16226	11340	8592	-	2	500	6 x 700	8 x 700	2 x 700	140	1,195 \$	12.5 \$
		GNE 250.6C	46,3	11,8	18802	13540	9955	-	2	500	6 x 700	8 x 700	2 x 700	140	1,337 \$	12.5 \$
		GNE 250.6D	55,5	15,1	21122	15330	10983	-	2	500	8 x 700	10 x 700	2 x 700	140	1,500 \$	12.5 \$
		GNE 250.6D2	68,0	17,4	25199	18240	12727	-	2	500	8 x 800	10 x 800	2 x 800	160	1,825 \$	14.1 \$
		GNE 250.6F2	90,7	23,2	29163	21620	14806	-	2	500	8 x 800	10 x 800	2 x 800	160	2,163 \$	14.1 \$
6 mm	3 Fan / Fans	GNE 340.6B	34,0	9,3	13473	9680	6930	-	3	400	8 x 800	10 x 800	2 x 800	160	1,126 \$	14.1 \$
		GNE 340.6B2	39,7	9,7	14871	10500	7855	-	3	400	8 x 800	10 x 800	2 x 800	160	1,175 \$	14.1 \$
		GNE 340.6C2	49,6	13,5	17700	12750	9462	-	3	400	8 x 800	10 x 800	2 x 800	160	1,419 \$	14.1 \$
		GNE 340.6D2	59,5	15,5	19491	14300	10197	-	3	400	8 x 800	10 x 800	2 x 800	160	1,592 \$	14.1 \$
		GNE 345.6B	39,7	10,8	16085	11470	8540	-	3	450	8 x 800	10 x 800	2 x 800	160	1,183 \$	14.1 \$
		GNE 345.6C	49,6	13,5	19175	13980	10336	-	3	450	8 x 800	10 x 800	2 x 800	160	1,446 \$	14.1 \$
		GNE 345.6D	59,5	15,5	21316	15910	11136	-	3	450	8 x 800	10 x 800	2 x 800	160	1,619 \$	14.1 \$
		GNE 350.6B	54,8	15,0	23781	16870	12590	-	3	500	8 x 1025	10 x 1025	2 x 1025	205	1,567 \$	17.5 \$
		GNE 350.6C	68,5	18,0	28032	20200	14936	-	3	500	10 x 1025	12 x 1025	2 x 1025	205	1,828 \$	17.5 \$
		GNE 350.6D	82,3	21,9	31497	23150	16053	-	3	500	10 x 1025	12 x 1025	2 x 1025	205	2,109 \$	17.5 \$
		GNE 350.6D2	100,9	27,5	37622	27280	19510	-	3	500	10 x 1175	12 x 1175	2 x 1175	235	2,591 \$	20.5 \$
		GNE 350.6F2	134,5	36,7	44077	32850	23047	-	3	500	12 x 1175	14 x 1175	2 x 1175	235	3,201 \$	20.5 \$
6 mm	4 Fan / Fans	GNE 445.6B	51,2	13,5	21523	15450	11502	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,618 \$	17.5 \$
		GNE 445.6C	64,0	16,5	25325	17840	13031	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,770 \$	17.5 \$
		GNE 445.6D	76,8	19,9	27375	20450	14743	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	2,034 \$	17.5 \$
		GNE 450.6B	63,1	17,2	27764	20000	14222	-	4	500	8 x 1175	10 x 1175	2 x 1175	235	1,847 \$	20.5 \$
		GNE 450.6C	78,8	20,6	32825	24000	16966	-	4	500	8 x 1175	10 x 1175	2 x 1175	235	2,153 \$	20.5 \$
		GNE 450.6D	94,6	25,8	37861	27400	18999	-	4	500	10 x 1175	12 x 1175	2 x 1175	235	2,451 \$	20.5 \$
		GNE 450.6D2	118,4	32,3	45256	33010	24212	-	4	500	10 x 1375	12 x 1375	2 x 1375	275	3,001 \$	24.2 \$
		GNE 450.6D3	140,4	38,3	51943	37580	26680	-	4	500	10 x 1625	12 x 1625	2 x 1625	325	3,517 \$	28.2 \$
		GNE 450.6F3	187,2	50,3	60702	45080	31441	-	4	500	12 x 1625	14 x 1625	2 x 1625	325	4,337 \$	28.2 \$

* Fiyatlara fan dahil değildir. / Price are given without fan.



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers

Batarya Özellikleri

Heat Exchanger Specifications

Hatve : 8 mm

Fin Spacing

Bakır Boru : 1/2"

Copper Pipe

Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1	SC2	SC3	SC4	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
					Te=0 °C Tr=-10 °C	Te=-8 °C Tr=0 °C	Te=-25 °C Tr=-18 °C	Te=-31 °C Tr=-25 °C				Batarya Coil	Batarya Coil			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
8 mm	1 Fan / Fans	GNE 130.8A	5,2	1,8	-	1347	1060	858	1	300	4 x 250	6 x 250	2 x 250	50	336 \$	8.8 \$
		GNE 130.8B	7,0	2,5	-	1759	1308	1085	1	300	4 x 250	6 x 250	2 x 250	50	387 \$	8.8 \$
		GNE 130.8C	8,7	2,9	-	1784	1428	1181	1	300	4 x 250	6 x 250	2 x 250	50	434 \$	8.8 \$
		GNE 130.8D	10,5	3,6	-	2245	1706	1410	1	300	4 x 250	6 x 250	2 x 250	50	483 \$	8.8 \$
		GNE 135.8B	8,4	3,0	-	2292	1835	1492	1	350	4 x 300	6 x 300	2 x 300	60	438 \$	8.8 \$
		GNE 135.8C	10,5	3,5	-	2810	2258	1829	1	350	4 x 300	6 x 300	2 x 300	60	481 \$	8.8 \$
		GNE 135.8D	12,6	4,3	-	3315	2568	2129	1	350	4 x 300	6 x 300	2 x 300	60	539 \$	8.8 \$
		GNE 140.8B	10,7	3,8	-	3184	2549	2101	1	400	4 x 300	6 x 300	2 x 300	60	527 \$	8.8 \$
		GNE 140.8C	13,4	4,4	-	3833	2912	2415	1	400	4 x 300	6 x 300	2 x 300	60	588 \$	8.8 \$
		GNE 140.8D	16,0	5,7	-	4330	3446	2815	1	400	4 x 300	6 x 300	2 x 300	60	667 \$	8.8 \$
		GNE 145.8B	11,9	4,0	-	3842	3002	2491	1	450	6 x 325	8 x 325	2 x 325	65	565 \$	8.8 \$
		GNE 145.8C	14,8	4,9	-	4349	3581	2914	1	450	6 x 325	8 x 325	2 x 325	65	624 \$	8.8 \$
		GNE 145.8D	17,8	6,3	-	5242	4092	3417	1	450	6 x 325	8 x 325	2 x 325	65	714 \$	8.8 \$
8 mm	2 Fan / Fans	GNE 225.8A	5,1	1,8	-	1389	1072	899	2	250	4 x 325	6 x 325	2 x 325	65	315 \$	8.8 \$
		GNE 225.8B	6,8	2,4	-	1801	1358	1130	2	250	4 x 325	6 x 325	2 x 325	65	356 \$	8.8 \$
		GNE 230.8A	7,4	2,4	-	1801	1495	1218	2	300	4 x 375	6 x 375	2 x 375	75	411 \$	8.8 \$
		GNE 230.8B	9,9	3,5	-	2705	2171	1763	2	300	4 x 375	6 x 375	2 x 375	75	481 \$	8.8 \$
		GNE 230.8C	12,4	4,2	-	3252	2540	2109	2	300	4 x 375	6 x 375	2 x 375	75	532 \$	8.8 \$
		GNE 230.8D	14,8	5,2	-	3608	2806	2310	2	300	4 x 375	6 x 375	2 x 375	75	604 \$	8.8 \$
		GNE 235.8B	12,4	4,4	-	3760	3123	2559	2	350	4 x 425	6 x 425	2 x 425	85	560 \$	8.8 \$
		GNE 235.8C	15,5	5,4	-	4616	3757	3102	2	350	4 x 425	6 x 425	2 x 425	85	633 \$	8.8 \$
		GNE 235.8D	18,7	6,6	-	5010	3928	3277	2	350	4 x 425	6 x 425	2 x 425	85	711 \$	8.8 \$
		GNE 240.8B	17,0	6,0	-	5508	4385	3662	2	400	4 x 525	6 x 525	2 x 525	105	722 \$	9.0 \$
		GNE 240.8B2	19,8	7,0	-	5999	4908	4027	2	400	6 x 525	8 x 525	2 x 525	105	799 \$	9.0 \$
		GNE 240.8C2	24,7	8,7	-	7133	5816	4744	2	400	6 x 525	8 x 525	2 x 525	105	918 \$	9.0 \$
		GNE 240.8D2	29,7	10,0	-	7965	6359	5289	2	400	6 x 525	8 x 525	2 x 525	105	1,012 \$	9.0 \$
GNE 245.8B	23,7	8,4	-	7415	5949	4965	2	450	6 x 625	8 x 625	2 x 625	125	958 \$	11.2 \$		
GNE 245.8C	29,7	10,5	-	9263	7287	6091	2	450	6 x 625	8 x 625	2 x 625	125	1,097 \$	11.2 \$		



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers



Hatve / Fin Spacing	Fan / Fans	Model Models	YüzeY Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC1 Te=0 °C Tr=-10 °C	SC2 Te=-8 °C Tr=0 °C	SC3 Te=-25 °C Tr=-18 °C	SC4 Te=-31 °C Tr=-25 °C	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1 Batarya Coil	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
												Batarya Coil	Tava Tray			
					m²	dm³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
8 mm	3 Fan / Fans	GNE 245.8D	35,6	12,6	-	10586	8321	6978	2	450	6 x 625	8 x 625	2 x 625	125	1,236 \$	11.2 \$
		GNE 250.8B	28,6	10,1	-	9863	8223	6885	2	500	6 x 700	8 x 700	2 x 700	140	1,194 \$	12.5 \$
		GNE 250.8C	35,8	11,8	-	11586	9600	8056	2	500	6 x 700	8 x 700	2 x 700	140	1,317 \$	12.5 \$
		GNE 250.8D	42,9	15,1	-	13486	11217	9247	2	500	8 x 700	10 x 700	2 x 700	140	1,553 \$	12.5 \$
		GNE 250.8D2	52,6	17,4	-	15861	12675	10639	2	500	8 x 800	10 x 800	2 x 800	160	1,757 \$	14.1 \$
		GNE 250.8F2	70,1	23,2	-	19310	15452	12912	2	500	8 x 800	10 x 800	2 x 800	160	2,156 \$	14.1 \$
	3 Fan / Fans	GNE 340.8B	26,3	9,3	-	8041	6705	5413	3	400	8 x 800	10 x 800	2 x 800	160	1,131 \$	14.1 \$
		GNE 340.8B2	30,7	9,7	-	9156	7291	6102	3	400	8 x 800	10 x 800	2 x 800	160	1,168 \$	14.1 \$
		GNE 340.8C2	38,3	13,5	-	11192	8975	7462	3	400	8 x 800	10 x 800	2 x 800	160	1,408 \$	14.1 \$
		GNE 340.8D2	46,0	15,5	-	11862	9468	7844	3	400	8 x 800	10 x 800	2 x 800	160	1,545 \$	14.1 \$
		GNE 345.8B	30,7	9,7	-	9907	8052	6685	3	450	8 x 800	10 x 800	2 x 800	160	1,175 \$	14.1 \$
		GNE 345.8C	38,3	13,5	-	12345	9937	8338	3	450	8 x 800	10 x 800	2 x 800	160	1,435 \$	14.1 \$
		GNE 345.8D	46,0	15,5	-	13924	11164	9386	3	450	8 x 800	10 x 800	2 x 800	160	1,571 \$	14.1 \$
		GNE 350.8B	42,4	14,0	-	14918	11944	9852	3	500	8 x 1025	10 x 1025	2 x 1025	205	1,554 \$	17.5 \$
		GNE 350.8C	53,0	18,0	-	17948	14379	12004	3	500	10 x 1025	12 x 1025	2 x 1025	205	1,810 \$	17.5 \$
		GNE 350.8D	63,6	21,9	-	20644	16529	13857	3	500	10 x 1025	12 x 1025	2 x 1025	205	2,079 \$	17.5 \$
		GNE 350.8D2	78,0	27,5	-	23470	19330	15877	3	500	10 x 1175	12 x 1175	2 x 1175	235	2,603 \$	20.5 \$
		GNE 350.8F2	104,0	36,7	-	29862	23108	19396	3	500	12 x 1175	14 x 1175	2 x 1175	235	3,159 \$	20.5 \$
	4 Fan / Fans	GNE 445.8B	39,6	14,0	-	13599	10917	9115	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,606 \$	17.5 \$
		GNE 445.8C	49,5	16,0	-	15810	12612	10539	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,754 \$	17.5 \$
		GNE 445.8D	59,3	19,9	-	18546	14553	12178	4	450	8 x 1025	10 x 1025	2 x 1025	205	2,013 \$	17.5 \$
		GNE 450.8B	48,7	15,5	-	17160	14269	11931	4	500	8 x 1175	10 x 1175	2 x 1175	235	1,818 \$	20.5 \$
		GNE 450.8C	60,9	20,6	-	20780	17283	14525	4	500	8 x 1175	10 x 1175	2 x 1175	235	2,163 \$	20.5 \$
		GNE 450.8D	73,1	25,8	-	24009	19934	16723	4	500	10 x 1175	12 x 1175	2 x 1175	235	2,488 \$	20.5 \$
		GNE 450.8D2	91,6	32,3	-	29431	23524	19744	4	500	10 x 1375	12 x 1375	2 x 1375	275	2,965 \$	24.2 \$
		GNE 450.8D3	108,5	38,3	-	32558	26747	22152	4	500	10 x 1625	12 x 1625	2 x 1625	325	3,593 \$	28.2 \$
		GNE 450.8F3	144,7	51,1	-	39614	32105	26435	4	500	12 x 1625	14 x 1625	2 x 1625	325	4,545 \$	28.2 \$

* Fiyatlara fan dahil değildir. / Price are given without fan.



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers

Batarya Özellikleri

Heat Exchanger Specifications

Hatve : 10 mm

Fin Spacing

Bakır Boru : 1/2"

Copper Pipe

Hatve / Fin Spacing	Fan / Fans	Model Models	Yüzey Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC2	SC3	SC4	SC5	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
					$T_e = -8\text{ }^\circ\text{C}$ $T_r = 0\text{ }^\circ\text{C}$	$T_e = -25\text{ }^\circ\text{C}$ $T_r = -18\text{ }^\circ\text{C}$	$T_e = -31\text{ }^\circ\text{C}$ $T_r = -25\text{ }^\circ\text{C}$	$T_e = -40\text{ }^\circ\text{C}$ $T_r = -35\text{ }^\circ\text{C}$			Batarya Coil	Batarya Coil	Tava D/Tray			
					m ²	dm ³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
10 mm	1 Fan / Fans	GNE 130.10A	4,3	1,8	-	920	750	-	1	300	4 x 250	6 x 250	2 x 250	50	333 \$	8.8 \$
		GNE 130.10B	5,8	2,5	-	1000	830	-	1	300	4 x 250	6 x 250	2 x 250	50	394 \$	8.8 \$
		GNE 130.10C	7,2	2,9	-	1254	1037	-	1	300	4 x 250	6 x 250	2 x 250	50	430 \$	8.8 \$
		GNE 130.10D	8,6	3,6	-	1523	1261	-	1	300	4 x 250	6 x 250	2 x 250	50	478 \$	8.8 \$
		GNE 135.10B	6,9	3,0	-	1595	1301	-	1	350	4 x 300	6 x 300	2 x 300	60	435 \$	8.8 \$
		GNE 135.10C	8,6	3,5	-	1996	1620	-	1	350	4 x 300	6 x 300	2 x 300	60	476 \$	8.8 \$
		GNE 135.10D	10,4	4,3	-	2136	1759	-	1	350	4 x 300	6 x 300	2 x 300	60	544 \$	8.8 \$
		GNE 140.10B	8,8	3,8	-	2293	1858	-	1	400	4 x 300	6 x 300	2 x 300	60	522 \$	8.8 \$
		GNE 140.10C	11,0	4,4	-	2418	1981	-	1	400	4 x 300	6 x 300	2 x 300	60	590 \$	8.8 \$
		GNE 140.10D	13,2	5,7	-	3088	2512	-	1	400	4 x 300	6 x 300	2 x 300	60	659 \$	8.8 \$
		GNE 145.10B	9,8	4,0	-	2447	1978	-	1	450	6 x 325	8 x 325	2 x 325	65	555 \$	8.8 \$
		GNE 145.10C	12,2	4,9	-	3242	2616	-	1	450	6 x 325	8 x 325	2 x 325	65	630 \$	8.8 \$
		GNE 145.10D	14,7	6,3	-	3327	2729	-	1	450	6 x 325	8 x 325	2 x 325	65	711 \$	8.8 \$
10 mm	2 Fan / Fans	GNE 225.10A	4,2	1,8	-	965	786	-	2	250	4 x 325	6 x 325	2 x 325	65	312 \$	8.8 \$
		GNE 225.10B	5,6	2,4	-	1017	843	-	2	250	4 x 325	6 x 325	2 x 325	65	363 \$	8.8 \$
		GNE 230.10A	6,1	2,4	-	1231	1009	-	2	300	4 x 375	6 x 375	2 x 375	75	407 \$	8.8 \$
		GNE 230.10B	8,1	3,5	-	1799	1475	-	2	300	4 x 375	6 x 375	2 x 375	75	477 \$	8.8 \$
		GNE 230.10C	10,2	4,2	-	2171	1771	-	2	300	4 x 375	6 x 375	2 x 375	75	526 \$	8.8 \$
		GNE 230.10D	12,2	5,2	-	2321	1925	-	2	300	4 x 375	6 x 375	2 x 375	75	597 \$	8.8 \$
		GNE 235.10B	10,2	4,2	-	2596	2101	-	2	350	4 x 425	6 x 425	2 x 425	85	547 \$	8.8 \$
		GNE 235.10C	12,8	5,4	-	3399	2750	-	2	350	4 x 425	6 x 425	2 x 425	85	626 \$	8.8 \$
		GNE 235.10D	15,4	6,6	-	3668	2995	-	2	350	4 x 425	6 x 425	2 x 425	85	696 \$	8.8 \$
		GNE 240.10B	14,0	6,0	-	3741	3026	-	2	400	4 x 525	6 x 525	2 x 525	105	719 \$	9.0 \$
		GNE 240.10B2	16,3	7,0	-	4356	3523	-	2	400	6 x 525	8 x 525	2 x 525	105	790 \$	9.0 \$
		GNE 240.10C2	20,4	8,7	-	5144	4179	-	2	400	6 x 525	8 x 525	2 x 525	105	907 \$	9.0 \$
		GNE 240.10D2	24,4	10,0	-	5821	4761	-	2	400	6 x 525	8 x 525	2 x 525	105	1,030 \$	9.0 \$
GNE 245.10B	19,6	7,5	-	5184	4165	-	2	450	6 x 625	8 x 625	2 x 625	125	906 \$	11.2 \$		
GNE 245.10C	24,4	10,5	-	6175	5025	-	2	450	6 x 625	8 x 625	2 x 625	125	1,095 \$	11.2 \$		



GNE Serisi Standart Evaporatörler

GNE Series Standard Type Air Coolers



Hatve / Fin Spacing	Fan / Fans	Model Models	YüzeY Surface	Boru Hacmi Tube Volume	Kapasite / Capacity				Fan Bilgileri Fan Data		Defrost				Fiyat / Price	
					SC2	SC3	SC4	SC5	Fan Adet Fan Piece	Fan Çapı Fan Diameter	E1	E2		Rezistans Boyu Heaters Length	Evaporatör Evaporator	Rezistans Net Fiyat Heaters
					$T_e = -8\text{ }^\circ\text{C}$ $T_r = 0\text{ }^\circ\text{C}$	$T_e = -25\text{ }^\circ\text{C}$ $T_r = -18\text{ }^\circ\text{C}$	$T_e = -31\text{ }^\circ\text{C}$ $T_r = -25\text{ }^\circ\text{C}$	$T_e = -40\text{ }^\circ\text{C}$ $T_r = -35\text{ }^\circ\text{C}$				Batarya Coil	Batarya Coil			
					m ²	dm ³	Watt	Watt	Watt	Watt	Adet	mm	n x W	n x W	n x W	cm
10 mm	2 Fan / Fans	GNE 245.10D	29,3	12,6	-	7546	6137	-	2	450	6 x 625	8 x 625	2 x 625	125	1,226 \$	11.2 \$
		GNE 250.10B	23,6	10,1	-	7435	6070	4441	2	500	6 x 700	8 x 700	2 x 700	140	1,180 \$	12.5 \$
		GNE 250.10C	29,5	11,8	-	8726	7150	5212	2	500	6 x 700	8 x 700	2 x 700	140	1,300 \$	12.5 \$
		GNE 250.10D	35,4	15,1	-	10140	8201	6070	2	500	8 x 700	10 x 700	2 x 700	140	1,532 \$	12.5 \$
		GNE 250.10D2	43,3	18,5	-	11061	9609	6806	2	500	8 x 800	10 x 800	2 x 800	160	1,822 \$	14.1 \$
		GNE 250.10F2	57,7	24,7	-	13648	10946	8316	2	500	8 x 800	10 x 800	2 x 800	160	2,242 \$	14.1 \$
	3 Fan / Fans	GNE 340.10B	21,7	9,3	-	5826	4721	-	3	400	8 x 800	10 x 800	2 x 800	160	1,119 \$	14.1 \$
		GNE 340.10B2	25,3	9,7	-	6563	5482	-	3	400	8 x 800	10 x 800	2 x 800	160	1,153 \$	14.1 \$
		GNE 340.10C2	31,6	13,5	-	8105	6628	-	3	400	8 x 800	10 x 800	2 x 800	160	1,390 \$	14.1 \$
		GNE 340.10D2	37,9	15,5	-	9162	7494	-	3	400	8 x 800	10 x 800	2 x 800	160	1,523 \$	14.1 \$
		GNE 345.10B	25,3	10,8	-	7322	5896	-	3	450	8 x 800	10 x 800	2 x 800	160	1,232 \$	14.1 \$
		GNE 345.10C	31,6	13,5	-	8570	6909	-	3	450	8 x 800	10 x 800	2 x 800	160	1,364 \$	14.1 \$
GNE 345.10D		37,9	15,5	-	9713	7897	-	3	450	8 x 800	10 x 800	2 x 800	160	1,570 \$	14.1 \$	
GNE 350.10B		34,9	15,0	-	10724	8599	6426	3	500	8 x 1025	10 x 1025	2 x 1025	205	1,610 \$	17.5 \$	
GNE 350.10C		43,7	18,0	-	12642	10168	7592	3	500	10 x 1025	12 x 1025	2 x 1025	205	1,816 \$	17.5 \$	
GNE 350.10D		52,4	21,9	-	14361	11653	8769	3	500	10 x 1025	12 x 1025	2 x 1025	205	2,111 \$	17.5 \$	
GNE 350.10D2		64,3	27,5	-	17292	14040	10475	3	500	10 x 1175	12 x 1175	2 x 1175	235	2,566 \$	20.5 \$	
GNE 350.10F2		85,7	36,7	-	20741	16990	12739	3	500	12 x 1175	14 x 1175	2 x 1175	235	3,162 \$	20.5 \$	
4 Fan / Fans	GNE 445.10B	32,6	13,5	-	9410	7566	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,578 \$	17.5 \$	
	GNE 445.10C	40,7	16,5	-	11063	8934	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	1,780 \$	17.5 \$	
	GNE 445.10D	48,9	19,9	-	12552	10232	-	4	450	8 x 1025	10 x 1025	2 x 1025	205	2,072 \$	17.5 \$	
	GNE 450.10B	40,2	17,2	-	12904	10816	7905	4	500	8 x 1175	10 x 1175	2 x 1175	235	1,795 \$	20.5 \$	
	GNE 450.10C	50,2	20,6	-	15699	13081	9501	4	500	8 x 1175	10 x 1175	2 x 1175	235	2,134 \$	20.5 \$	
	GNE 450.10D	60,2	25,8	-	18248	14947	10964	4	500	10 x 1175	12 x 1175	2 x 1175	235	2,454 \$	20.5 \$	
	GNE 450.10D2	75,4	32,3	-	20991	17068	12560	4	500	10 x 1375	12 x 1375	2 x 1375	275	2,922 \$	24.2 \$	
	GNE 450.10D3	89,4	38,3	-	22909	18682	14111	4	500	10 x 1625	12 x 1625	2 x 1625	325	3,541 \$	28.2 \$	
	GNE 450.10F3	119,2	50,3	-	27585	22693	17225	4	500	12 x 1625	14 x 1625	2 x 1625	325	4,476 \$	28.2 \$	

* Fiyatlara fan dahil değildir. / Price are given without fan.

